Art Unit: 2826

#### **DETAILED ACTION**

### Acknowledgements

The amendment filed on 05 July 2007 in response to the Office Action mailed on 07 May 2007 has been entered. The present Office Action is made with all the suggested amendments being fully considered. Accordingly, pending in this Office Action are claims 1-16.

### **EXAMINER'S AMENDMENT**

An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

The application has been amended as follows:

In Claims:

Cancel non-elected claims 6-16.

## Allowable Subject Matter

Claims 1-5 are allowed over the prior art of record.

The following is an examiner's statement of reasons for allowance:

The prior art of record taken either singly or in combination fails to anticipate or fairly suggest the limitations which the Applicant claims in claim 1 in a manner which would warrant a rejection under 35 U.S.C. § 102 or 35 U.S.C. § 103.

Art Unit: 2826

There was no prior art found by the examiner that suggested modification or combination with the cited prior art so as to satisfy the combination of the present independent claim 1; especially, the prior art does not provide a copper alloy layer formed on the diffusion barrier layer, the copper alloy layer including a material from about 0.5at% to about 15at%, which is used to form the diffusion barrier layer in combination with the diffusion barrier layer formed directly on the silicon-containing substrate, as recited in claim 1.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

# Telephone/Fax Information

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Leslie P. Cruz whose telephone number is 571-272-8599. The examiner can normally be reached on Monday-Friday 9:00-5:30.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Sue A. Purvis can be reached on 571-272-1236. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

Leslie Pilar Cruz Examiner Art Unit 2826

lpc

SUE A. PURVIS